

Bryophytes of Whiteface Mountain, Adirondack Mountains, New York, at elevations > 3,500 ft. (balsam fir, krummholz, and alpine tundra zones)

LIVERWORTS

Anastrophyllum michauxii (Web.) Buch ex Evans
A. minutum (Schreb.) Schust.
Aneura pinguis (L.) Dum.
Barbilophozia attenuata (Mart.) Loeske
B. kunzeana (Hüb.) Gams
Bazzania trilobata (L.) S. Gray
Blepharostoma trichophyllum (L.) Dum.
Calypogeia muelleriana (Schiffn.) K. Müll.
Cephalozia ambigua Mass.
C. bicuspidata (L.) Dum.
C. lunulifolia (Dum.) Dum.
Cephaloziella sp.
Diplophyllum apiculatum (Evans) Steph.
Gymnocolea inflata (Huds.) Dum.
Jamesoniella autumnalis (DC.) Steph.
Lepidozia reptans (L.) Dum.
Lophocolea heterophylla (Schrad.) Dum.
Lophozia porphyroleuca (Nees) Schiffn.
L. sudetica (Nees) Grolle
L. ventricosa (Dicks.) Dum.
Marchantia alpestris (Nees) Burgeff
Marsupella emarginata (Ehrh.) Dum.
M. sphacelata (Gieseke) Dum.
Mylia taylorii (Hook.) S. Gray
Nowellia curvifolia (Dicks.) Mitt.
Pellia epiphylla (L.) Corda
Ptilidium ciliare (L.) Hampe
P. pulcherrimum (G. Web.) Vainio
Scapania nemorea (L.) Grolle
S. umbrosa (Schrad.) Dum.
S. undulata (L.) Dum.
Tritomaria quinquedentata (Huds.) Dum.

MOSSES

Amblystegium serpens (Hedw.) Schimp. *in* B.S.G.
A. varium (Hedw.) Lindb.
Andreaea crassinervia Bruch
A. rupestris Hedw.
Arctoa fulvella (Dicks.) Bruch & Schimp. *in* B.S.G.
Atrichum crispum (James) Sull.
Aulacomnium palustre (Hedw.) Schwaegr.
Barbula convoluta Hedw.
B. unguiculata Hedw.
Blindia acuta (Hedw.) Bruch & Schimp.
Brachythecium campestre (C. Mull.) Schimp. *in* B.S.G.
B. oxycladon (Brid.) Jaeg.
B. populeum (Hedw.) Schimp. *in* B.S.G.
B. rutabulum (Hedw.) Schimp. *in* B.S.G.
B. salebrosum (Web. & Mohr) Schimp. *in* B.S.G.

B. turgidum (Hartm.) Kindb.
B. velutinum (Hedw.) Schimp. in B.S.G.
Brotherella recurvans (Michx.) Fleisch.
Bryoerythrophyllum recurvirostre (Hedw.) Chen
Bryhnia novae-angliae (Sull. & Lesq.) Grout
Bryum argenteum Hedw.
B. caespiticium Hedw.
B. lisae var. *cuspidatum* (Bruch & Schimp.) Marg.
Calliergon stramineum (Brid.) Kindb.
Campylium chrysophyllum (Brid.) J. Lange
C. hispidulum (Brid.) Mitt.
C. polygonum (Schimp. in B.S.G.) C. Jens.
Ceratodon purpureus (Hedw.) Brid.
Conostomum tetragonum (Hedw.) Lindb.
Cynodontium polycarpon (Hedw.) Schimp.
C. tenellum (Bruch & Schimp. in B.S.G.) Limpr.
Dicranella heteromalla (Hedw.) Schimp.
Dicranum fuscescens Turn.
D. montanum Hedw.
D. polysetum Sw.
D. scoparium Hedw.
Didymodon rigidulus Hedw.
Distichium capillaceum (Hedw.) Bruch & Schimp. in B.S.G.
Ditrichum flexicaule (Schwaegr.) Hampe
D. lineare (Sw.) Lindb.
D. pusillum (Hedw.) Hampe
Encalypta procera Bruch
Funaria hygrometrica Hedw.
Grimmia anodon Bruch & Schimp. in B.S.G.
G. donniana Sm.
Gymnostomum aeruginosum Sm.
Hedwigia ciliata (Hedw.) P. Beauv.
Herzogiella striatella (Brid.) Iwats.
Hygroamblystegium tenax (Hedw.) Jenn.
Hylocomium splendens (Hedw.) Schimp. in B.S.G.
Hypnum curvifolium Hedw.
H. imponens Hedw.
H. pallescens (Hedw.) P. Beauv.
Isopterygiopsis muelleriana (Schimp.) Iwats.
Kiaeria starkei (Web. & Mohr) Hag.
Leptobryum pyriforme (Hedw.) Wils.
Mnium spinulosum (Voit) Schwaegr.
Myurella julacea (Schwaegr.) Schimp. in B.S.G.
Oncophorus wahlenbergii Brid.
Orthotrichum anomalum Hedw.
Paraleucobryum longifolium (Hedw.) Loeske
Philonotis fontana (Hedw.) Brid.
P. fontana var. *caespitosa* (Jur.) Schimp.
Plagiomnium cuspidatum (Hedw.) T. Kop.
P. medium (Bruch & Schimp. in B.S.G.) T. Kop.
Plagiothecium laetum Schimp. in B.S.G.
Pleurozium schreberi (Brid.) Mitt.
Pogonatum dentatum (Brid.) Brid.
P. urnigerum (Hedw.) P. Beauv.
Pohlia annotina (Hedw.) Lindb.
P. bulbifera (Warnst.) Warnst.

P. cruda (Hedw.) Lindb.
P. nutans (Hedw.) Lindb.
P. prolifera (Kindb. ex Breidl.) Lindb. ex Arnell
P. wahlenbergii (Web. & Mohr) Andrews
Polytrichastrum alpinum (Hedw.) G. L. Sm.
Polytrichum commune Hedw.
P. juniperinum Hedw.
P. ohioense Ren. & Card.
P. pallidisetum Funck
P. piliferum Hedw.
P. strictum Brid.
Racomitrium fasciculare (Hedw.) Brid.
R. microcarpon (Hedw.) Brid.
R. sudeticum (Funck) Bruch & Schimp. in B.S.G.
Rhabdoweisia crispata (With.) Lindb.
Rhizomnium punctatum (Hedw.) T. Kop.
Rhytidium rugosum (Hedw.) Kindb.
Sanionia uncinata (Hedw.) Loeske
Schistidium apocarpum subsp. *canadense* (Dupret) Blom
S. boreale Poelt
S. dupretii (Ther.) W. A. Weber
S. lancifolium (Kindb.) Blom
S. papillosum Culm. in Amann
S. aff. poeltii Blom
S. pulchrum Blom
S. robustum (Nees & Hornsch.) Blom
S. viride Blom
Sphagnum capillifolium (Ehrh.) Hedw.
S. centrale C. Jens. in Arnell & C. Jens.
S. fallax (Klinggr.) Klinggr.
S. fuscum (Schimp.) Klinggr.
S. fimbriatum Wils. in Wils. & Hook.
S. girgensohnii Russ.
S. lindbergii Schimp. in Lindb.
S. papillosum Lindb.
S. quinquefarium (Lindb. ex Braithw.) Warnst.
S. russowii Warnst.
S. squarrosum Crome
S. tenellum (Brid.) Bory
Tetraphis pellucida Hedw.
Tortella tortuosa (Hedw.) Limpr.
Tortula ruralis (Hedw.) Gaertn. et al.
Trematodon ambiguus (Hedw.) Hornsch.
Warnstorfia fluitans (Hedw.) Loeske